



SWAT SHIELD

- ▶ Ballistic coverage area of 22" x 43"
- ▶ Premium ballistic glass view port 4.5" x 10"
- ▶ Heavy duty aluminum and composite handle system
- ▶ Lightweight
- ▶ Quick-release arm cuff system
- ▶ Defeats multiple round threats
- ▶ Exceeds National Institute of Justice (NIJ) standards



DESCRIPTION	SPECIFICATIONS
CERTIFICATION	NIJ Ballistic Level - IIIA, or III
MODEL	BODY DEFENSE SHIELD
WEIGHT	Level IIIA - 18 pounds Level III - 36 pounds
AREA	22" x 43"
GLASS VIEW	4.5" x 10"
MATERIALS	Composite Ballistic Core + Hybrid Nano-composite Shell
HANDLE MATERIALS	Heavy duty aluminium + composite
HANDLE SHAPE	Straight, or Triangular
COLOR	Black or OD Green
LED Light	Super Bright 1000 lumen+
PROPERTIES	High strength and low density Excellent energy absorption 15 times the strength of steel Resists chemicals, UV light and water

SPECIAL THREATS TESTED

Level IIIA - Defeats .44mag 1400 fps, 9mm 1400fps, and lesser threats
Level III - Defeats 7.62 x 51mm 2750 fps, and lesser threats

+1 817 449 3658

+1 817 449 3658

alex.aguilar@safecoindustries.com

safecoindustries.com

1560 E. Southlake Blvd, Ste 100,
Southlake, TX 76092



TACTICAL SHIELD

- Ballistic coverage area of 20" x 35"
- Premium ballistic glass view port 4.5" x 10"
- Heavy duty aluminum and composite handle system
- Lightweight
- Quick-release arm cuff system
- Defeats multiple round threats
- Exceeds National Institute of Justice (NIJ) standards



DESCRIPTION	SPECIFICATIONS
CERTIFICATION	NIJ Ballistic Level - IIIA, or III
MODEL	ROBO SHIELD
WEIGHT	Level IIIA - 16 pounds Level III - 32 pounds
AREA	20" x 35"
GLASS VIEW	4.5" x 10"
MATERIALS	Composite Ballistic Core + Hybrid Nano-composite Shell
HANDLE MATERIALS	Heavy duty aluminium + composite
HANDLE SHAPE	Straight, or Triangular
COLOR	Black or OD Green
LED Light	Super Bright 1000 lumen+
PROPERTIES	High strength and low density Excellent energy absorption 15 times the strength of steel Resists chemicals, UV light and water

SPECIAL THREATS TESTED

Level IIIA - Defeats .44mag 1400 fps, 9mm 1400fps, and lesser threats
Level III - Defeats 7.62 x 51mm 2750 fps, and lesser threats

+1 817 449 3658

+1 817 449 3658

alex.aguilar@safecoindustries.com


safecoindustries.com

1560 E. Southlake Blvd, Ste 100,
Southlake, TX 76092



SF PATROL

- Ballistic coverage area of 16" x 24"
- Heavy duty aluminum and composite handle system
- Lightweight
- Quick-release arm cuff system
- Defeats multiple round threats
- Exceeds National Institute of Justice (NIJ) standards



DESCRIPTION	SPECIFICATIONS
CERTIFICATION	NIJ Ballistic Level - IIIA, or III
MODEL	PATROL SHIELD
WEIGHT	Level IIIA - 7 pounds Level III - 13 pounds
AREA	16" x 24"
GLASS VIEW	N/A
MATERIALS	Composite Ballistic Core + Hybrid Nano-composite Shell
HANDLE MATERIALS	Heavy duty aluminium + composite
HANDLE SHAPE	Straight, or Triangular
COLOR	Black or OD Green
LED Light	N/A
PROPERTIES	High strength and low density Excellent energy absorption 15 times the strength of steel Resists chemicals, UV light and water

SPECIAL THREATS TESTED

Level IIIA - Defeats .44mag 1400 fps, 9mm 1400fps, and lesser threats
Level III - Defeats 7.62 x 51mm 2750 fps, and lesser threats

+1 817 449 3658
+1 817 449 3658
alex.aguilar@safecoindustries.com
safecoindustries.com

1560 E. Southlake Blvd, Ste 100,
Southlake, TX 76092



SF RESPONDER

- Ballistic coverage area of 19" x 32"
- Heavy duty aluminum and composite handle system
- Lightweight
- Quick-release arm cuff system
- Defeats multiple round threats
- Exceeds National Institute of Justice (NIJ) standards

DESCRIPTION	SPECIFICATIONS
CERTIFICATION	NIJ Ballistic Level - IIIA, or III
MODEL	SF RESPONDER
WEIGHT	Level IIIA - 16 pounds
AREA	19" x 32"
GLASS VIEW	4.5" x 10"
MATERIALS	Composite Ballistic Core + Hybrid Nano-composite Shell
HANDLE MATERIALS	Heavy duty aluminium + composite
HANDLE SHAPE	Straight, or Triangular
COLOR	Black or OD Green
LED Light	N/A
PROPERTIES	High strength and low density Excellent energy absorption 15 times the strength of steel. Resists chemicals, UV light and water

SPECIAL THREATS TESTED Level IIIA - Defeats .44mag 1400 fps, 9mm 1400fps, and lesser threats



+1 817 449 3658

+1 817 449 3658

alex.aguilar@safecoindustries.com

safecoindustries.com

1560 E. Southlake Blvd, Ste 100,
Southlake, TX 76092